



KONICA MINOLTA

bizhub i-SERIES
IS AT THE
HEART
OF YOUR
BUSINESS
RETHINK IT



bizhub C650i/C550i/C450i/C360i/C300i/C250i

Giving Shape to Ideas

TOMORROW'S WORKPLACE TODAY

INTRODUCING THE bizhub i-SERIES FROM KONICA MINOLTA

Born from our desire to rethink the role of multifunctional devices in business, our next generation technology sits at the heart of your connected environment. Simply and securely bringing together people, places and devices to change the way you work.

The workplace is changing

- As more tasks move toward individual work in a place of the individual's choice, central offices are becoming hubs for communication.
- As office documents become more digitised and the volume of data increases, centralised management and better access to documents is vital.
- As business data leaks and hacking become more commonplace, the need for security is increasingly critical.

bizhub i-Series is the solution

- With simple operability and high-quality performance, bizhub i-Series allows people to complete tasks efficiently and effectively from anywhere.
- With integrated cloud services that offer the right processes at the right time, bizhub i-Series builds more convenient workflows for everyone.
- With next generation security technology built in, bizhub i-Series provides a reliably safe environment for your business.





i-SERIES IS SIMPLE AND SECURE RETHINK IT

We've simplified, secured and enhanced what technology can do for your business.

Key benefits

- Stay in control of your information
- Protect your data and stop virus threats
- Security visibility, implementation and continuity
- The peace of mind to focus on core activities

Intelligent simplicity

With a large touchscreen operation panel, smartphone style user interface and a display that users can customise with apps from Konica Minolta Marketplace, i-Series is intelligently simple.

Next generation security

The next generation bizhub i-Series comes with the highest security standards built in.

With our bizhub SECURE services, we tailor the security settings to your needs, so your data is fully protected. And with integrated anti-virus software, it ensures no virus can harm your business.

i-SERIES IS INTUITIVE RETHINK IT

Inspired by the way people interact with tech, we've completely redesigned the user experience.



Designed for people

The stylish bizhub i-Series looks at home in today's office environment, with contemporary touches like a floating operation panel, rounded edges and LED status indicators.

With a 24° to 90° tilt angle, the large 10.1" tablet style touch panel provides convenient operation for all users, especially those in a wheelchair.

Putting users first

The i-Series offers a market leading and intuitive smartphone style experience.

In fact, the user experience is so familiar there's practically no learning curve and users can customise their screen in the same way as their mobile device.

In the card-type Quick Copy screen, all main setting options are directly visible without scrolling or searching. Users can apply their desired settings with fewer clicks and pop-ups, making operation faster and more productive. You can also customise your personal home screen by simply adding or removing function icons. Widgets are supported as well, similar to Widgets on Android-based smartphones. This facilitates embedded functionality delivered by Apps into the home screen.





The waiting is over

To boost workflow and cut out waiting time, the i-Series is our fastest ever range. In fact, thanks to its brand new Quad Core Central Processing Unit, it's four times quicker than our previous bizhub series.

The new controller integrates all processes and distributes tasks more effectively within the Central Processing Unit. As a result, the user experience is smoother and quicker and there is no waiting time while operating i-Series.

With the new Intelligent Media Sensor*, paper weight detection is automatic, and the correct settings are applied every time. Enhancing user convenience, this avoids media setting mistakes and minimises paper jams.



(*Intelligent Media Sensor is standard on bizhub C650i/C550i/C450i; optional on bizhub C360i/C300i/C250i)

i-SERIES IS UNLIMITED POSSIBILITIES

RETHINK IT

ENHANCED EFFICIENCY AND PRODUCTIVITY

To extend the workflow capabilities of the bizhub i-Series, and boost flexibility within your office, we developed Dispatcher Phoenix.

To maximise productivity, i-Series eliminates repetitive tasks, cuts costs and reduces manual and human errors.

Dispatcher Phoenix

Our advanced process automation solution, streamlines the handling of all document-processing tasks. This simplifies daily office routines to boost efficiency thanks to predefined workflow templates and customisable scan workflows.

It also facilitates the easy distribution of documents by scanning to SharePoint and Dropbox or to popular systems like Box, Google Drive, Microsoft OneDrive, and OneDrive for Business.

Advanced workflows

Capture

- MFP
- Input Folder
- SMTP In
- DP Mobile App
- Google Cloud Print
- Workstation



Process

- Advanced OCR
- Metadata scripting
- File conversion to PDF, MS Office, PS
- Metadata to File
- Metadata Route
- Annotate
- PDF Data extraction
- Watermark



Distribution

- Dropbox
- Box
- OneDrive
- OneDrive for Business
- WebDAV
- Sharepoint Online
- Sharepoint
- Output Folder
- FTP

MAKE TIME FOR YOUR CORE BUSINESS

Now you can make your business devices more powerful by simply adding new capabilities. Konica Minolta MarketPlace gives you the freedom to personalise your bizhub in the same way as your smartphone. The available apps bridge unproductive gaps between work processes to give you more time to focus on core tasks.

Streamline office routines

Browse the Konica Minolta MarketPlace for new applications that serve your business needs. Then simply add them to all your devices – however large your fleet.

Updates are also deployed directly to your devices without cost-intensive maintenance. And as these apps run directly on your devices, you don't need to invest in additional infrastructure.

Konica Minolta's bizhub multi-functional devices provide a broad range of capabilities that serve all your needs. To minimise the time spent using your bizhub, simply change the control panel to meet your preferences. And because the user operation of any model is completely customisable, there's no need for special training.

Key benefits

- Add and remove functions from the panel to match your bizhub with your workstyle
- Streamline your daily office routines
- Boost team productivity




au.konicaminoltamarketplace.com

i-SERIES IS SAFER RETHINK IT

ALWAYS SAFE. ALWAYS IN CONTROL.

Having complete protection against virus threats gives you the peace of mind to focus on other tasks. So to protect your data, the optional BitDefender anti-virus engine automatically scans all transmitted and received data – in real time. You can also run on-demand or scheduled scanning of your data, to make sure you stay protected.



* Data inside the MFD is checked manually or scheduled

● Optional BitDefender scans transmitted and received data to protect the i-Series

At Konica Minolta, we know that protecting your data is key to your business. That's why our bizhub multifunctional devices embed the highest level of security to protect your data.



TOTAL CARE BY BIZHUB SECURE

With bizhub SECURE services, we've made sure your business is fully protected by providing security tailored to your needs. Continuous security gives you one less thing to worry about. And because our team configures everything for you, you'll save time too.

Safe and SECURE

- bizhub SECURE protects the data inside the memory of your i-Series
- BitDefender anti-virus engine defends you from the threat of viruses

i-SERIES IS SMARTER

RETHINK IT


REDUCED DOWNTIME. ALL THE TIME.

Features this advanced don't come from merely improving technology. To make bizhub i-Series work with everything you do, we set out to rethink everything we do.

Konica Minolta Worldwide Remote Service Platform provides a trouble-free experience and minimum downtime.

It also uploads the latest firmware, in real or scheduled time. So users know they're always working with up-to-date technology.

To ensure continuous and full use, i-Series intelligently collects data for self-diagnostic and remote maintenance and even predicts the optimum replacement time for parts and consumables.



--- Data collected for part/consumable replacement predictions

CUSTOMER BENEFITS



Intuitive operability
Operate the bizhub like a smartphone or tablet with fully customised user interface



Mobile connectivity
Print anytime from anywhere with Konica Minolta's innovative mobile technologies



Security
Secure network integration, data encryption, SSD overwrite and advanced user authentication



Application ecosystem
Enhanced efficiency thanks to Konica Minolta's extensive applications portfolio




Productivity
Reliability, high-speed scanning and printing, combined with powerful finishing functions



Services
Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup

FINISHING FUNCTIONALITIES



Finishing Functionalities

| Compatible Models | | C650i | C550i / C450i | C360i / C300i / C250i | FS-540 ^{*1,2} | FS-540SD ^{*1,2} | FS-539 ^{*1,2} | FS-539SD ^{*1,2} | FS-533 ^{*3} |
|---|--|--|---|---|---|--------------------------|------------------------|--------------------------|----------------------|
| Offset sorting (Shift sort) function | | Slightly offsets position of each set of pages when discharged | | | ✓ | ✓ | ✓ | ✓ | — |
| Stapling functions | | Corner stapling Corner stapling (parallel) ^{*4} Corner stapling (parallel) ^{*4} Two-point stapling (side) | Thin / Plain (52-80 gsm): max. 100 sheets Plain (81-90 gsm): max. 60 sheets Plain + / Thick (91-120 gsm): max. 50 sheets Thick (121-157 gsm): max. 40 sheets | Thin / Plain (52-90 gsm): max. 50 sheets Plain + / Thick (91-120 gsm): max. 30 sheets Thick (121-209 gsm): max. 15 sheets | Thin / Plain (52-90 gsm) A4, B5: max 50 sheets ^{*5} A3, B4: max 30 sheets ^{*5} | | | | |
| Manual stapling | | | Max. 50 sheets (23-15/16 lb (90 g/m ²)) | | — | | — | | — |
| Booklet function & folding functions | | Saddle stitching Centre-fold Tri-fold (up to 3 sheets) | — | Max. 20 sheets | — | Max. 20 sheets | — | | |
| Z folding function | | Z folding | Z folding unit ZU-609 52-90 gsm | | — | | — | | |
| Hole-punching | | Two-hole punch Upper two-hole punch | Punch kit PK-526 Up to 300 gsm | Punch kit PK-524 Up to 300 gsm | Punch kit PK-519 Up to 157 gsm | | — | | |
| Cover sheet & Insert sheet | | Cover sheet Insert sheet | Post Inserter PI-507 or standard functions | | Standard functions | | Standard functions | | |

*1 Installation of a finisher enables in-body paper discharge. A maximum of three discharge locations can be set. For FS-540 and FS-540SD, a maximum of four in-body paper discharges can be set with Job Separator JS-602 installed.

*2 Requires Relay Unit RU-513. *3 FS-533 requires MK-607 to be installed. *4 FS-540/FS-540D/FS-539/FS-539SD parallel stapling is only supported for A4 portrait, B5 portrait and A5 landscape orientations. *5 FS-533 corner stapling is only parallel.

i-SERIES IS ECO RETHINK IT

INDUSTRY LEADING ENVIRONMENTAL PERFORMANCE

We have invested substantial resources to keep the environmental impact of the bizhub i-Series as low as possible.

Our new eco setting and low temperature fusing toner combine to significantly reduce the consumption of energy and paper.

We're also committed to minimising waste throughout the product's lifecycle.


While our improved consumables and parts use fewer materials and enjoy a longer life, our industry leading air-form packaging solution ensures safe transportation while reducing waste.

bizhub i-SERIES IS AVAILABLE NOW

With intelligent usability, next generation security and seamless connectivity, bizhub i-Series brings together people, places and devices to change the way you work.

bizhub i-Series is tomorrow's workplace today.

Discover more at konicaminolta.com.au/home





OPTIONS DESCRIPTIONS (bizhub C650i/C550i/C450i)

ENHANCED FEATURES

| | |
|----------------------------------|--|
| LK-102v3 PDF enhancements | PDF/A(1b), PDF encryption, digital signature |
| LK-104v3 Voice Guidance | Enables easy to follow audio guidance for visually impaired users. Requires KP-102 |
| LK-105v4 OCR text recognition | Searchable PDF and PPTX |
| LK-106 Barcode fonts | Supports native barcode printing |
| LK-107 Unicode fonts | Supports native Unicode printing |
| LK-108 OCR A and B fonts | Supports native OCR A and B font printing |
| LK-110v2 Document converter pack | Generates various file formats incl. DOCX, XLSX and PDF/A |
| LK-111 ThinPrint® client | Print data compression for reduced network impact |
| LK-115v2 Trusted Platform Module | Trusted Platform Module for protection of data encryption and decryption |
| LK-116 Antivirus | Bitdefender® antivirus provides real time scanning of all incoming and outgoing data |
| LK-117 FOIP activation | Fax over IP networks (T.38), requires fax kit |

CONNECTIVITY

| | |
|-----------------------------------|---|
| FK-514 Fax board | Super G3 fax, digital fax functionality |
| UK-221 Wireless LAN | Wireless LAN and wireless LAN Access Point Mode |
| EK-608 USB I/F kit | USB keyboard connection |
| EK-609 USB I/F kit | USB keyboard connection; Bluetooth |
| IC-420 Fiery controller | Professional colour print controller |
| VI-516 Interface kit for IC-420 | Fiery controller interface card |
| UK-115 Interface board for IC-420 | Fiery controller interface board (required for bizhub C450i only) |
| ID card reader | Various ID card technologies |
| MK-735 Mount kit | Installation kit for ID card reader |

OTHERS

| | |
|--------------------------|--|
| WT-506 Working table | Authentication device placement |
| KP-102 10-Key pad | For use instead of touchscreen |
| SC-509 Security kit | Copy guard function (2 kits required for Dualscan ADF) |
| EM-908 Replacement SSD | 1 TB SSD to increase storage space |
| KH-102 Keyboard holder | To place USB keyboard |
| CU-102 Air cleaning unit | Improving indoor air quality by reduced emission |
| DK-705 Low Caster Desk | Not compatible with Paper Tray / Finisher options |

OPTIONS DESCRIPTIONS (bizhub C360i/C300i/C250i)

ENHANCED FEATURES

| | |
|----------------------------------|--|
| LK-102v3 PDF enhancements | PDF/A(1b), PDF encryption, digital signature |
| LK-104v3 Voice Guidance | Enables easy to follow audio guidance for visually impaired users. Requires KP-102 |
| LK-105v4 OCR text recognition | Searchable PDF and PPTX |
| LK-106 Barcode fonts | Supports native barcode printing |
| LK-107 Unicode fonts | Supports native Unicode printing |
| LK-108 OCR A and B fonts | Supports native OCR A and B font printing |
| LK-110v2 Document converter pack | Generates various file formats incl. DOCX, XLSX and PDF/A |
| LK-111 ThinPrint® client | Print data compression for reduced network impact |
| LK-115v2 Trusted Platform Module | Trusted Platform Module for protection of data encryption and decryption |
| LK-116 Antivirus | Bitdefender® antivirus provides real time scanning of all incoming and outgoing data |
| LK-117 FOIP activation | Fax over IP networks (T.38), requires fax kit |

CONNECTIVITY

| | |
|-----------------------------------|---|
| FK-514 Fax board | Super G3 fax, digital fax functionality |
| UK-221 Wireless LAN | Wireless LAN and wireless LAN Access Point Mode |
| EK-608 USB I/F kit | USB keyboard connection |
| EK-609 USB I/F kit | USB keyboard connection; Bluetooth |
| IC-420 Fiery controller | Professional colour print controller |
| VI-516 Interface kit for IC-420 | Fiery controller interface card |
| UK-115 Interface board for IC-420 | Fiery controller interface board (required for C250i/C300i/C360i) |
| ID card reader | Various ID card technologies |
| MK-735 Mount kit | Installation kit for ID card reader |

MEDIA INPUT

| | |
|----------------------------|--|
| PC-216 2x Universal tray | 2x 500 sheets, A5-A3, 52-256 g/m ² |
| PC-416 Large capacity tray | 2,500 sheets, A4, 52-256 g/m ² |
| PC-417 Large capacity tray | 1,500 + 1,000 sheets, A5-A4, 52-256 g/m ² |
| LU-302 Large capacity tray | 3,000 sheets, A4, 52-256 g/m ² |
| LU-207 Large capacity tray | 2,500 sheets, A4-SRA3, 52-256 g/m ² |
| MK-730 Banner tray | Multipage banner feeding |
| DK-516 Copier desk | Provides storage space for print media and other materials |

MEDIA OUTPUT

| | |
|------------------------------------|---|
| OT-513 Output tray | Output tray used instead of finisher |
| JS-508 Job separator | Separation of fax output etc. (bizhub C450i/C550i only) |
| FS-533 Inner finisher | 50-sheet stapling; 500 sheets max. output (for bizhub C450i/C550i only) |
| MK-607 Attachment kit | For FS-533 installation (bizhub C450i/C550i only) |
| PK-519 Punch Kit for FS-533 | 2/4 hole punching, autoswitching (for bizhub C450i/C550i only) |
| FS-539 Staple finisher | 50 sheets stapling; 3,200 sheets max. output |
| FS-539SD Booklet finisher | 50 sheets stapling; 20 sheets booklet finisher; 2,200 sheets max. output |
| FS-540 Staple finisher | 100 sheets stapling; 3,200 sheets max. output |
| FS-540SD Booklet finisher | 100 sheets stapling; 20 sheets booklet finisher; 2,700 sheets max. output |
| PK-524 Punch kit for FS-539/SD | 2/4 hole punching; autoswitching |
| PK-526 Punch kit for FS-540/SD | 2/4 hole punching; autoswitching |
| RU-513 Relay unit | For FS-539/SD or FS-540/SD installation |
| JS-602 Job separator for FS-540/SD | Separation of fax output; etc. |
| PI-507 Post inserter for FS-540/SD | Cover insertion; post finishing |
| ZU-609 Z-fold unit for FS-540/SD | Z-fold for A3 prints |

OTHERS

| | |
|---------------------------------|--|
| DF-632 Document feeder | Reversing automatic document feeder, capacity 100 originals |
| DF-714 Document feeder | Dualscan automatic document feeder, capacity 100 originals |
| WT-506 Working table | Authentication device placement |
| KP-102 10-Key pad | For use instead of touchscreen |
| SC-509 Security kit | Copy guard function (2 kits required for Dualscan ADF) |
| EM-908 Replacement SSD | 1 TB SSD to increase storage space |
| IM-102 Intelligent Media Sensor | Automatic detection of media type |
| KH-102 Keyboard holder | To place USB keyboard |
| CU-102 Air cleaning unit | Improving indoor air quality by reduced emission |
| DK-705 Low Caster unit | Not compatible with Paper Tray or external Finishing options |

MEDIA INPUT

| | |
|----------------------------|--|
| PC-216 2x Universal tray | 2x 500 sheets, A5-A3, 52-256 g/m ² |
| PC-416 Large capacity tray | 2,500 sheets, A4, 52-256 g/m ² |
| PC-417 Large capacity tray | 1,500 + 1,000 sheets, A5-A4, 52-256 g/m ² |
| LU-302 Large capacity tray | 3,000 sheets, A4, 52-256 g/m ² |
| MK-730 Banner tray | Multipage banner feeding |
| DK-516 Copier desk | Provides storage space for print media and other materials |

MEDIA OUTPUT

| | |
|--------------------------------|--|
| FS-539 Staple finisher | 50 sheets stapling; 3,200 sheets max. output |
| FS-533 Inner finisher | 50 sheets stapling; 500 sheets max. output |
| PK-519 Punch kit for FS-533 | 2/4 hole punching, autoswitching |
| FS-539SD Booklet finisher | 50 sheets stapling; 20 sheets booklet finisher; 2,200 sheets max. output |
| PK-524 Punch kit for FS-539/SD | 2/4 hole punching; autoswitching |
| RU-513 Relay unit | For FS-539/SD installation |
| JS-506 Job separator | Separation of fax output; etc. |

TECHNICAL SPECIFICATIONS (bizhub C650i/C550i/C450i)

| SYSTEM SPECIFICATIONS | C650i | C550i | C450i |
|------------------------------------|---|--|--|
| System speed A4 (mono/colour) | Up to 65/65 ppm | Up to 55/55 ppm | Up to 45/45 ppm |
| System speed A3 (mono/colour) | Up to 32/32 ppm | Up to 27/27 ppm | Up to 22/22 ppm |
| Autoduplex speed A4 (mono/colour) | Up to 65/65 ppm | Up to 55/55 ppm | Up to 45/45 ppm |
| 1st page out time A4 (mono/colour) | 2.8/3.8 sec. | 3.3/4.3 sec. | 3.8/5.0 sec. |
| Warm-up time (mono/colour) | Approx. 15/17 sec. ¹ | 14/16 sec. ¹ | 15/17 sec. ¹ |
| Imaging technology | Laser | | |
| Toner technology | Simitri® HD polymerised toner | | |
| Panel size/resolution | 10.1" / 1024 x 600 | | |
| System memory | 8GB (standard/max) | | |
| System storage | 256 GB SSD (standard) / 1 TB SSD (optional) | | |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) | | |
| Network protocols | TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour | | |
| Automatic document feeder | Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF | | |
| ADF double feed detection | Standard | | |
| Printable paper size | A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm | | |
| Printable paper weight | 52-300 g/m ² | | |
| Paper input capacity | 1,150 sheets / 6,650 sheets (standard/max) | | |
| Paper tray input (standard) | 1x 500; A6-A3; custom sizes; 52-256 g/m ² 1x 500; A5-SRA3; custom sizes; 52-256 g/m ² | | |
| Paper tray input (optional) | 2x 500 sheets; A5-A3; 52-256 g/m ² 1x 2,500 sheets; A4; 52-256 g/m ² 1x 1,500 + 1x 1,000 sheets; A5-A4; 52-256 g/m ² | | |
| Large capacity tray (optional) | 1x 3,000; A4; 52-256 g/m ² 1x 2,500; A4-SRA3; custom sizes; 52-256 g/m ² | | |
| Manual bypass | 150 sheets; A6-SRA3; custom sizes; banner; 60-300 g/m ² | | |
| Finishing modes (optional) | Offset; Group; Sort; Staple; Staple (offline); Punch; Half-fold; Letter-fold; Booklet; Post insertion; Z-fold | | |
| Automatic duplexing | A6-SRA3; 52-256 g/m ² | | |
| Output capacity | Up to 250 sheets / up to 3,300 sheets (standard/max) | | |
| Stapling | Max. 100 sheets or 98 sheets + 2 cover sheets (up to 300 g/m ²) | | |
| Stapling output capacity | Max. 200 sets | | |
| Letter fold | Max. 3 sheets | | |
| Letter fold capacity | Max. 50 sets; unlimited (without tray) | | |
| Booklet | Max. 20 sheets or 19 sheets + 1 cover sheet (up to 300 g/m ²) | | |
| Booklet output capacity | Max. 35 booklets; unlimited (without tray) | | |
| Duty cycle (monthly) | Rec. 53,000 pages; Max ² 250,000 pages | Rec. 50,000 pages; Max ² 200,000 pages | Rec. 40,000 pages; Max ² 200,000 pages |
| Toner lifetime | Black up to 28,000 pages CMY up to 28,000 pages | | |
| Imaging unit lifetime | Black up to 240,000/1,000,000 pages (drum/developer) CMY up to 165,000/1,000,000 pages (drum/developer) | | |
| Power consumption | 220-240 V / 50/60 Hz; Less than 2.00 kW | | |
| System dimension (W x D x H) | 615 x 688 x 961 mm (without options) | | |
| System weight | Approx. 100.0 kg (without options) | | |

TECHNICAL SPECIFICATIONS (bizhub C650i/C550i/C450i)

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Operating systems | Windows 7 (32/64); Windows 8.1 (32/64); Windows 10 (32/64); Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Macintosh OS X 10.10 or later; Unix; Linux; Citrix |
| Printer fonts | 80 PCL Latin; 137 PostScript 3 Emulation Latin |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile) optional: Google Cloud Print; WiFi Direct |

PRINTER SPECIFICATIONS (OPTIONAL)

| | |
|---------------------------|--|
| Print controller | Embedded Fiery IC-420 |
| Controller CPU | AMD GX-424CC @ 2.4 GHz |
| Memory/HDD | 4GB / 500 GB |
| Page description language | Adobe PostScript 3 (CPSI 3020); PCL 6; PCL 5c |
| Operating systems | Windows 7 (32/64); Windows 8.1 (32/64); Windows 10 (32/64); Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Macintosh OS X 10.10 or later; Linux |

SCANNER SPECIFICATIONS

| | |
|-------------------|--|
| Scan speed | Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| Scan modes | Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-DPWS; Scan-to-URL; TWAIN scan |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/ PPTX/XLSX |
| Scan destinations | 2,000 destinations + 100 groups; LDAP support |

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Gradation | 256 gradations |
| Multicopy | 1-9,999 |
| Original format | Max. A3 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

FAX SPECIFICATIONS (OPTIONAL)

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |
| Fax compression | MH; MR; MMR; JBIG |
| Fax modem | Up to 33.6 Kbps |
| Fax destinations | 2,000 single + 100 groups |

USER BOX SPECIFICATIONS

| | |
|----------------------|--|
| Storable documents | Up to 3,000 documents or 10,000 pages |
| Type of user boxes | Public; Personal (with password or authentication); Group (with authentication) |
| Type of system boxes | Secure print; Encrypted PDF print; Fax receipt; Fax polling |

SYSTEM FEATURES

| | |
|---------------------------------|---|
| Security Functions (standard) | ISO 15408 HCD-PP Common Criteria (in evaluation); IP filtering and port blocking; SSL3 and TLS1.0/1.1/1.2 network communication; IPsec support; IEEE 802.1x support; User authentication; Authentication log; Secure print; Kerberos; Storage overwrite; Storage data encryption (AES 256); Confidential fax; Print user data encryption |
| Security Functions (optional) | Antivirus realtime scanning (Bitdefender®); Copy protection (Copy Guard, Password Copy) |
| Accounting (standard) | Up to 1,000 user accounts; Active Directory support (user name + password + e-mail + smb folder); User function access definition; Authentication by mobile device (Android) |
| Accounting Functions (optional) | ID card authentication (ID card reader); Authentication by mobile device (iOS) |
| Software | Net Care Device Manager; Data Administrator; Box Operator; Web Connection; Print Status Notifier; Driver Packaging Utility; Log Management Utility |

¹ Warm-up time may vary depending on the operating environment and usage

² If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

- All specifications refer to A4-size paper of 80 g/m² quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

TECHNICAL SPECIFICATIONS (bizhub C360i/C300i/C250i)

| SYSTEM SPECIFICATIONS | C360i | C300i | C250i |
|-------------------------------------|--|---|---|
| Panel size/resolution | 10.1" / 1024 x 600 | | |
| System memory (standard/max) | 8 GB | | |
| System storage | 256 GB Solid State Drive (standard)/1TB SSD (optional) | | |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n (optional) | | |
| Network protocols | TCP/IP (IPv4/IPv6); SMB; LPD; IPP; SNMP; HTTP(S); AppleTalk; Bonjour | | |
| Automatic document feeder | Up to 100 originals; A6-A3; 35-163 g/m ² ; RADF or Dualscan ADF available | | |
| Paper input capacity (standard/max) | 1,150 sheets / 6,650 sheets | | |
| Paper tray input (standard) | 1x 500 sheets; A6-A3; custom sizes; 52-256 g/m ² 1x 500 sheets; A5-SRA3; custom sizes; 52-256 g/m ² | | |
| Paper tray input (optional) | 2x 500 sheets; A5-A3; 52-256 g/m ² 1x 2,500 sheets; A4; custom sizes; 52-256 g/m ² | | |
| Large capacity tray (optional) | 1x 3,000 sheets; A4; custom sizes; 52-256 g/m ² | | |
| Manual bypass | 150 sheets; A6-SRA3; Custom sizes; Banner; 60-300 g/m ² | | |
| Automatic duplexing | A5-SRA3; 52-256 g/m ² | | |
| Finishing modes (optional) | Offset; Group; Sort; Staple; Punch; Half-fold; Letter-fold; Booklet | | |
| Output capacity (standard) | Max. 250 sheets | | |
| Output Capacity (optional) | Max. 3,300 sheets | | |
| Stapling | Max. 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m ²) | | |
| Letter fold capacity | Max. 30 sheets; unlimited (without tray) | | |
| Booklet | Max. 20 sheets or 19 sheets + 1 cover sheet (up to 209 g/m ²) | | |
| Booklet output capacity | Max. 100 booklets; unlimited (without tray) | | |
| Copy/print volume (monthly) | Rec. 33,000 pages Max. ¹ 175,000 pages | Rec. 25,000 pages Max. ¹ 150,000 pages | Rec. 16,000 pages Max. ¹ 130,000 pages |
| Toner lifetime | Black up to 28,000 pages CMY up to 28,000 pages | | |
| Imaging unit lifetime | Black up to 225,000/1,000,000 pages (drum/developer) CMY up to 105,000/1,000,000 pages (drum/developer) | Black up to 225,000/1,000,000 pages (drum/developer) CMY up to 90,000/1,000,000 pages (drum/developer) | Black up to 170,000/1,000,000 pages (drum/developer) CMY up to 65,000/1,000,000 pages (drum/developer) |
| Power consumption | 220-240 V / 50/60 Hz; Less than 1.58 kW | | |
| System dimension (W x D x H) | 615 x 688 x 918 mm (with DF-714) | | |
| System weight | Approx. 96.0 kg (with DF-714) | | |

TECHNICAL SPECIFICATIONS (bizhub C360i/C300i/C250i)

| PRINTER SPECIFICATIONS | C360i | C300i | C250i |
|------------------------------|--|-----------|-----------|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi | | |
| Print Speed A4 (mono/colour) | 36/36 ppm | 30/30 ppm | 25/25 ppm |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS | | |
| Operating System | Windows 7 (32/64); Windows 8/8.1 (32/64); Windows 10 (32/64); Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Macintosh OS X 10.10 or later; Unix; Linux; Citrix | | |
| Printer fonts | 80 PCL Latin; 137 PostScript 3 Emulation Latin | | |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (iOS/Android) Optional: Google Cloud Print; WiFi Direct | | |

PRINTER SPECIFICATIONS (OPTIONAL)

| | |
|---------------------------|---|
| Print controller | Embedded Fiery IC-420 |
| Controller CPU | AMD GX-424CC @ 2.4 GHz |
| Memory/HDD | 2,048 MB / 500 GB |
| Page description language | Adobe PostScript 3 (CPSI 3020); PCL 6; PCL 5c |

SCANNER SPECIFICATIONS

| | |
|--------------------------|---|
| Scan speed (mono/colour) | Up to 100/100 ipm in simplex Up to 200/200 ipm in duplex |
| Scan modes | Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN scan |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX Optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |
| Scan destinations | 2,100 (single + group); LDAP support |

COPIER SPECIFICATIONS

| | |
|--|---|
| Imaging technology | Laser |
| Toner technology | Simitri® HD polymerised toner |
| Copy/print speed A4 (mono/colour) | Up to 36/36 ppm |
| Copy/print speed A3 (mono/colour) | Up to 18/18 ppm |
| Autoduplex Speed A4 (mono/colour) | Up to 36/36 ppm |
| 1 st copy out time A4 (mono/colour) | 4.6/6.1 sec. 5.0/6.7 sec. 5.2/6.9 sec. |
| Warm-up time (mono/colour) | Approx. 12/13 sec. ² Approx. 11/13 sec. ² Approx. 11/13 sec. ² |
| Copy resolution | 600 x 600 dpi |
| Gradation | 256 gradations |
| Multicopy | 1–9,999 |
| Original format | A6–A3; Custom sizes |
| Magnification | 25–400% in 0.1% steps; Auto-zooming |

FAX SPECIFICATIONS (OPTIONAL)

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |
| Fax compression | MH; MR; MMR; JBIG |
| Fax modem | Up to 33.6 Kbps |
| Fax destinations | 2,100 (single + group) |

USER BOX SPECIFICATIONS

| | |
|----------------------|--|
| Storable documents | Up to 3,000 documents or 10,000 pages |
| Type of user boxes | Public; Personal (with password or authentication); Group (with authentication) |
| Type of system boxes | Secure print; Encrypted PDF print; Fax receipt; Fax polling |

SYSTEM FEATURES

| | |
|---------------------------------|--|
| Security Functions (standard) | ISO 15408 HCD-PP Common Criteria; IP filtering and port blocking; SSL2; SSL3 and TLS1.0/1.1/1.2 network communication; IPsec support; IEEE 802.1x support; User authentication; Authentication log; Secure print; Kerberos; SSD self-encrypting (AES 256); Memory data auto deletion; Confidential fax receipt; Print user data encryption |
| Security Functions (optional) | Antivirus realtime scanning (Bitdefender®); Copy protection (Copy Guard, Password Copy) |
| Accounting (standard) | Up to 1,000 user accounts; Active Directory support (user name + password + e-mail + smb folder); User function access definition |
| Accounting Functions (optional) | ID card authentication (ID card reader); Authentication by mobile device (Android/iOS) |
| Software | PageScope Net Care Device Manager; PageScope Data Administrator; PageScope Box Operator; PageScope Web Connection; Print Status Notifier; Driver Packaging Utility; Log Management Utility |

¹ If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

² Warm-up time may vary depending on the operating environment and usage

- All specifications refer to A4-size paper of 80 g/m² quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.



KONICA MINOLTA

NEW SOUTH WALES

Konica Minolta House
4 Drake Avenue
Macquarie Park NSW 2113
(02) 8026 2222

SOUTH AUSTRALIA

L1 84 Greenhill Road
Wayville SA 5034
(08) 8231 2911

ACT

1/55 Wentworth Avenue
Kingston ACT 2604
(02) 6206 6500

VICTORIA

Level 5, 441 St Kilda Road
Melbourne VIC 3004
(03) 8699 0777

QUEENSLAND

Level 9, 100 Skyring Terrace
Newstead QLD 4006
(07) 3872 9100

WESTERN AUSTRALIA

66 Kings Park Road
West Perth WA 6005
08 6380 3700

Konica Minolta
Business Solutions Australia Pty Ltd
Free Call 1800 789 389
konicaminolta.com.au

